Amendments to the Claims

1. (Currently amended) A process for producing a living radical polymer characterized in that which comprises polymerizing a vinyl monomer is polymerized with use in the presence of a living radical polymerization initiator represented by the formula (1) and a compound represented by the formula (2)

$$R^2$$
 R^3
 $Te R^1$
 R^3


wherein R^1 is C_1 - C_8 alkyl, aryl, substituted aryl or an aromatic heterocyclic group, R^2 and R^3 are each a hydrogen atom or C_1 - C_8 alkyl, and R^4 is aryl, substituted aryl, an aromatic heterocyclic group, acyl, oxycarbonyl or cyano

$$(R^1Te)_2 (2)$$

wherein R¹ is the same as above.

- 2. (Original) A process according to claim 1 wherein R^1 in the living radical polymerization initiator represented by the formula (1) is C_1 - C_4 alkyl, phenyl, naphthyl, pyridyl, furyl or thienyl, R^2 and R^3 are each a hydrogen atom or C_1 - C_8 alkyl, and R^4 is phenyl, naphthyl, pyridyl, furyl, thienyl, methoxycarbonyl, ethoxycarbonyl or cyano.
- 3. (Original) A process according to claim 1 wherein R^1 in the living radical polymerization initiator represented by the formula (1) is C_1 - C_4 alkyl, R^2 and R^3 are each a hydrogen atom or C_1 - C_4 alkyl, and R^4 is phenyl, substituted phenyl, methoxycarbonyl or ethoxycarbonyl.

- 4. (Original) A process according to claim 1 wherein R^1 in the compound represented by the formula (2) is C_1 - C_4 alkyl, phenyl, naphthyl, pyridyl, furyl or thienyl.
- 5. (Original) A process according to claim 1 wherein R^1 in the compound represented by the formula (2) is C_1 - C_4 alkyl or phenyl.
- 6. (Currently amended) A living radical polymer obtained by polymerizing a vinyl monomer with use of a living radical polymerization initiator represented by the formula (1) and a compound represented by the formula (2)



wherein R^1 is C_1 - C_8 alkyl, aryl, substituted aryl or an aromatic heterocyclic group, R^2 and R^3 are each a hydrogen atom or C_1 - C_8 alkyl, and R^4 is aryl, substituted aryl, an aromatic heterocyclic group, acyl, oxycarbonyl or cyano

 $\frac{(R^{1}Te)_{2}}{\text{wherein } R^{1} \text{ is the same as above}}.$

- 7. (Withdrawn) A mixture of a living radical polymerization initiator represented by the formula (1) and a compound represented by the formula (2).
- 8. (Withdrawn) A mixture according to claim 7 wherein the living radical polymerization initiator represented by the formula (1) is an organotellurium compound represented by the formula (1) wherein R^1 is C_1 - C_4 alkyl, R^2 and R^3 are each a hydrogen atom or C_1 - C_4 alkyl, and R^4 is aryl, substituted aryl or oxycarbonyl, and the compound represented by the formula (2) is a compound wherein R^1 is C_1 - C_4 alkyl or phenyl.

- 9. (Withdrawn) A process for producing a diblock copolymer wherein a compound of the formula (1) and a compound of the formula (2) are used when a homopolymer is prepared from the first of monomers and/or when the diblock copolymer is subsequently prepared.
- 10. (Withdrawn) A process for producing a triblock copolymer wherein a compound of the formula (1) and a compound of the formula (2) are used at least once when a homopolymer is prepared from the first of monomers, or when a diblock copolymer is subsequently prepared, or when the triblock copolymer is subsequently prepared.
- 11. (Withdrawn) A process for producing a diblock copolymer comprising mixing together an (meth)acrylic acid ester monomer, a living radical polymerization initiator represented by the formula (1) and a compound of the formula (2) to prepare a poly(meth)acrylate, and subsequently mixing an aromatic unsaturated monomer with the product to obtain an (meth)acrylate-aromatic unsaturated monomer diblock copolymer.
- 12. (Withdrawn) A process for producing a triblock copolymer comprising mixing together an (meth)acrylic acid ester monomer, a living radical polymerization initiator represented by the formula (1) and a compound of the formula (2) to prepare a poly(meth)acrylate, subsequently mixing an aromatic unsaturated monomer with the product to obtain an (meth)acrylate-aromatic unsaturated monomer block copolymers, and subsequently mixing an (meth)acrylic acid ester monomer or aromatic unsaturated monomer with the copolymer to obtain the triblock copolymer.
- 13. (Previously presented) A process according to claim 1 wherein the vinyl monomer is at least one monomer selected from the group consisting of (meth)acrylic acid ester monomer, aromatic unsaturated monomer (styrene type monomer), carbonyl-containing unsaturated monomer, (meth)acrylonitrile and (meth)acrylamide type monomer.

- 14. (Previously presented) A process according to claim 1 wherein the living radical polymer is a random copolymer.
- 15. (Previously presented) A process according to claim 1 wherein the living radical polymer is a block copolymer.
- 16. (Previously presented) A process according to claim 2 wherein the vinyl monomer is at least one monomer selected from the group consisting of (meth)acrylic acid ester monomer, aromatic unsaturated monomer (styrene type monomer), carbonyl-containing unsaturated monomer, (meth)acrylonitrile and (meth)acrylamide type monomer.
- 17. (Previously presented) A process according to claim 3 wherein the vinyl monomer is at least one monomer selected from the group consisting of (meth)acrylic acid ester monomer, aromatic unsaturated monomer (styrene type monomer), carbonyl-containing unsaturated monomer, (meth)acrylonitrile and (meth)acrylamide type monomer.
- 18. (Previously presented) A process according to claim 4 wherein the vinyl monomer is at least one monomer selected from the group consisting of (meth)acrylic acid ester monomer, aromatic unsaturated monomer (styrene type monomer), carbonyl-containing unsaturated monomer, (meth)acrylonitrile and (meth)acrylamide type monomer.
- 19. (Previously presented) A process according to claim 5 wherein the vinyl monomer is at least one monomer selected from the group consisting of (meth)acrylic acid ester monomer, aromatic unsaturated monomer (styrene type monomer), carbonyl-containing unsaturated monomer, (meth)acrylonitrile and (meth)acrylamide type monomer.

- 20. (Previously presented) A process according to claim 2 wherein the living radical polymer is a random copolymer.
- 21. (Previously presented) A process according to claim 3 wherein the living radical polymer is a random copolymer.
- 22. (Previously presented) A process according to claim 4 wherein the living radical polymer is a random copolymer.
- 23. (Previously presented) A process according to claim 5 wherein the living radical polymer is a random copolymer.
- 24. (Previously presented) A process according to claim 2 wherein the living radical polymer is a block copolymer.
- 25. (Previously presented) A process according to claim 3 wherein the living radical polymer is a block copolymer.
- 26. (Previously presented) A process according to claim 4 wherein the living radical polymer is a block copolymer.
- 27. (Previously presented) A process according to claim 5 wherein the living radical polymer is a block copolymer.